

Ques No.	Question
01 - 8417347	<p>If A is a square matrix of order 2 and $A = 4$, then find the value of $2AA'$, where A' is the transpose of matrix A.</p> <p>Watch Free Video Solution on Doubtnut</p>
02A - 8417615	<p>Find the angle between the line</p> $\vec{r} = (2\hat{i} - \hat{j} + 3\hat{k}) + \lambda(3\hat{i} - \hat{j} + 2\hat{k})$ <p>and the plane</p> $\vec{r} \cdot (\hat{i} + \hat{j} + \hat{k}) = 3$ <p>Watch Free Video Solution on Doubtnut</p>
02B - 8417742	<p>Find the co-ordinates of the point, where the line</p> $\left(\frac{x+2}{1}\right) = \left(\frac{y-5}{3}\right) = \left(\frac{z+1}{5}\right)$ <p>cuts the yz-plane.</p> <p>Watch Free Video Solution on Doubtnut</p>
03 - 8417825	

Find the differential equation representing the family of curves $y = -A \cos 3x + B \sin 3x$.

[Watch Free Video Solution on Doubtnut](#)

04 - 8417917

Find the differential of the function $\cos^{-1}(\sin 2x)$ w. r. t x .

[Watch Free Video Solution on Doubtnut](#)

05 - 8417330


If an operation $*$ on the set of integers Z is defined by $a \cdot b = 2a^2 + b$ then find (i) whether it is binary or not, and (ii) if binary, then is it commutative or not

[Watch Free Video Solution on Doubtnut](#)

06A - 8417380

Four cards are drawn one by one with replacement from a well-shuffled deck of playing cards. Find the probability that at least three cards are of diamonds.

[Watch Free Video Solution on Doubtnut](#)



The probability of two students A and B coming to school are $\frac{2}{7}$ and $\frac{4}{7}$ respectively. Assuming that the events 'A coming on time' and 'B coming on time' are independent, find the probability only one of them comes on time.

06B - 8417456

[Watch Free Video Solution on DoubtNut](#)

Find the value of (x-y) from the matrix equation

$$2 \begin{bmatrix} x & 5 \\ 7 & y - 3 \end{bmatrix} + \begin{bmatrix} -3 & -4 \\ 1 & 2 \end{bmatrix} = \begin{bmatrix} 7 & 6 \\ 15 & 14 \end{bmatrix}$$

07 - 8417528

[Watch Free Video Solution on DoubtNut](#)

08 - 8417551

Solve the following differential equation: $(y + 3x^2) \frac{dx}{dy} = x$

[Watch Free Video Solution on Doubtnut](#)

09A - 8417628

Using vectors, prove that the points $(2,-1,3)$, $(3,-5,1)$ and $(-1,11,9)$ are collinear

[Watch Free Video Solution on Doubtnut](#)

09B - 8417708

For any two vectors \vec{a} and \vec{b} , prove that

$$\left(\vec{a} \times \vec{b}\right)^2 = |\vec{a}|^2 |\vec{b}|^2 - \left(\vec{a} \cdot \vec{b}\right)^2$$

[Watch Free Video Solution on Doubtnut](#)

10A - 8417783

Find $\int \left(\frac{x-1}{(x-2)(x-3)} \right) dx$

[Watch Free Video Solution on Doubtnut](#)

10B - 8417823

Evaluate: $\int \frac{e^x}{\sqrt{5-4e^x-e^{2x}}} dx$

[Watch Free Video Solution on Doubtnut](#)

11 - 8417933

Find $\int e^x \left(\frac{2 + \sin 2x}{2 \cos^2 x} \right) dx$

[Watch Free Video Solution on Doubtnut](#)



12 - 8418004

If A and B are independent events with $P(A) = \frac{3}{7}$ and $P(B) = \frac{2}{5}$ then find $P(A' \cap B')$

[Watch Free Video Solution on Doubtnut](#)

13 - 8417333

Find the equation of the plane passing through the point $(-1, 3, 2)$ and perpendicular to each of the planes $x + 2y + 3z = 5$ and $3x + 3y + z = 0$.

[Watch Free Video Solution on Doubtnut](#)

14 - 8417400

$$\int_1^5 (|x - 1| + |x - 2| + |x - 4|) dx$$

[Watch Free Video Solution on Doubtnut](#)

15 - 8417512

If x, y, z are different and $\Delta = \begin{vmatrix} x & x^2 & x^3 - 1 \\ y & y^2 & y^3 - 1 \\ z & z^2 & z^3 - 1 \end{vmatrix} = 0,$

then using properties of determinants, show that $xyz = 1$

[Watch Free Video Solution on Doubtnut](#)

16 - 8417601

Prove that

$$\sin^{-1}\left(\frac{4}{5}\right) + \tan^{-1}\left(\frac{5}{12}\right) + \cos^{-1}\left(\frac{63}{65}\right) = \frac{\pi}{2}$$

[Watch Free Video Solution on Doubtnut](#)

17 - 8417674

Using vectors, find the value of x such that the four points

$A(x, 5, -1), B(3, 2, 1), C(4, 5, 5)$ and $D(4, 2, -2)$ are coplanar.

[Watch Free Video Solution on Doubtnut](#)

18A - 8417786

Differentiate $\tan^{-1}\left(\frac{3x - x^3}{1 - 3x^2}\right), |x| < \frac{1}{\sqrt{3}}$ w.r.t

$$\tan^{-1}\left(\frac{x}{\sqrt{1 - x^2}}\right)$$

[Watch Free Video Solution on Doubtnut](#)

18B - 8417844

If

$$\sqrt{1-x^2} + \sqrt{1-y^2} = a(x-y), \text{ show } \frac{dy}{dx}$$

$$= \sqrt{\frac{1-y^2}{1-x^2}}$$

📺 Watch Free Video Solution on Doubtnut

 पढ़ना हुआ आसान



Prove that the relation R in the set $A = \{1, 2, 3, 4, 5, 6, 7\}$ given by

$$R = \{(a, b) : |a - b| \text{ is even}\} \text{ is an equivalence relation.}$$

📺 Watch Free Video Solution on Doubtnut

show that the function f in $A = R - \{\frac{2}{3}\}$ defined as $f(x) =$

$$\frac{4x + 3}{6x - 4} \text{ is one one and onto. Hence find } f^{-1}$$

📺 Watch Free Video Solution on Doubtnut

20A - 8417423

Find the particular solution of the differential equation:

$$(1 + e^2 x) dy + (1 + y^2) e^x dx = 0, \text{ given that } y(0) = 1$$

[Watch Free Video Solution on Doubtnut](#)

20B - 8417378

Solve the following differential equation:

$$x \frac{dy}{dx} \sin\left(\frac{y}{x}\right) + x - y \sin\left(\frac{y}{x}\right) = 0$$

[Watch Free Video Solution on Doubtnut](#)

21 - 8417501

If $y = (\sin x)^x + \sin^{-1} \sqrt{1 - x^2}$ then find $\frac{dy}{dx}$

[Watch Free Video Solution on Doubtnut](#)

22 - 8417531

$$\int \cos 2x \cdot \cos 4x \cdot \cos 6x dx$$

[Watch Free Video Solution on Doubtnut](#)

23 - 8417625

Find the interval in which the function f given by

$$f(x) = \sin 2x + \cos 2x, 0 \leq x \leq \pi \text{ is strictly decreasing.}$$


[Watch Free Video Solution on Doubtnut](#)

24A - 8417668

Obtain the inverse of the following matrix, using elementary

operations: $A = \begin{bmatrix} 3 & 0 & -1 \\ 2 & 3 & 0 \\ 0 & 4 & 1 \end{bmatrix}$

[Watch Free Video Solution on Doubtnut](#)



doubtnut
पढ़ना हुआ आसान

Using matrices solve the following system of linear

equations:
$$\begin{cases} 2x + 3y + 10z = 4 \\ 4x - 6y + 5z = 1 \\ 6x + 9y - 20z = 2 \end{cases}$$

[Watch Free Video Solution on Doubtnut](#)

24B - 8417776

25A - 8417888

Find the area of the region

$\{(x, y) : y^2 \leq 6ax \text{ and } x^2 + y^2 \leq 16a^2\}$ using method

of integration .

[Watch Free Video Solution on Doubtnut](#)

25B - 8417950

Using integration, find the area of the triangle bounded by the lines: $4x - y + 5 = 0$, $x + y - 5 = 0$ and $x - 4y + 5 = 0$

[Watch Free Video Solution on Doubtnut](#)

26 - 8418040

A company manufactures two types of novelty souvenirs made of plywood. Souvenirs of type A require 5 minutes each for cutting and 10 minutes each for assembling. Souvenirs of type B require 8 minutes each for cutting and 8 minutes each for assembling. There are 3 hours 20 minutes available for cutting and 4 hours for assembling. The profit is Rs 5 each for type A and Rs 6 each for type B souvenirs.

How many souvenirs of each type should the company manufacture in order to maximise the profit?

[Watch Free Video Solution on Doubtnut](#)

Find the vector equation of the line passing through

$(2, 1, -1)$ and parallel to the line

27A - 8418224

$\vec{r} = (\hat{i} + \hat{j}) + \lambda(2\hat{i} - \hat{j} + \hat{k})$. Also, find the distance

between these two lines.

[Watch Free Video Solution on Doubtnut](#)

Find the co-ordinates of the foot of perpendicular and its

perpendicular distance drawn from the point $(1, 3, 4)$ to the

27B - 8418147

plane $2x - y + 2z + 3 = 0$. Also find the image of the point

$(1, 3, 4)$ in the plane.

[Watch Free Video Solution on Doubtnut](#)

28 - 8418096

A card from a pack of 52 cards is lost. From the remaining cards of the pack, two cards are drawn at random and are found to be both clubs. Find the probability of the lost card being of clubs.

 [Watch Free Video Solution on Doubtnut](#)

29 - 8418286

Prove that the radius of the right circular cylinder of greatest curved surface area which can be inscribed in a given cone is half of that of the cone.


 [Watch Free Video Solution on Doubtnut](#)



 [Download Doubtnut to Ask Any Math Question By just a click](#)

 [Get A Video Solution For Free in Seconds](#)

 [Doubtnut Has More Than 1 Lakh Video Solutions](#)

 [Free Video Solutions of NCERT, RD Sharma, RS Aggarwal, Cengage \(G.Tewani\), Resonance DPP, Allen, Bansal, FIITJEE, Akash, Narayana, VidyaMandir](#)

 [Download Doubtnut Today](#)

Get Answer just with a click!

doubtnut
has more than
1 Lakh Video
Solutions

Update the App now!

GET IT ON
Google Play

📌 Download Doubtnut to Ask Any Math Question By just a click

📌 Get A Video Solution For Free in Seconds

📌 Doubtnut Has More Than 1 Lakh Video Solutions

📌 Free Video Solutions of NCERT, RD Sharma, RS Aggarwal, Cengage (G.Tewani), Resonance DPP, Allen, Bansal, FIITJEE, Akash, Narayana, VidyaMandir

📌 Download Doubtnut Today

Get Answer just with a click!

doubtnut
has more than
1 Lakh Video
Solutions

Update the App now!

GET IT ON
Google Play